

3M Controltac

- Industrial strength vinyl
- Patented air-release channels
- UV Lamination
- Re-positionable
- Scratch and water resistant
- 8 year outdoor lifespan
- Maximum print size of 58" H x 120" W

Calendered Vinyl

- Glossy or matte lamination
- Versatile
- 3 to 5 year outdoor durability
- Best applied to smooth, flat surfaces
- Maximum print size of 52" H x 120" W

High Performance Cast Vinyl

- Permanent, longer lasting vinyl
- Patented air-release channels
- UV Lamination
- 8 year outdoor lifespan
- Best option for application onto compound curves
- Maximum print size of 58" H x 120" W









High Tack Vinyl

- High tack adhesive vinyl
- Glossy or matte lamination
- 5 year outdoor lifespan
- Indoor and outdoor use
- For low energy surfaces
- Maximum print size of 52" H x 120" W

Low Tack Vinyl

- Low tack adhesive vinyl
- Glossy or matte lamination
- 1 to 3 year lifespan
- Easily to be cleanly removed within 1 year of application
- Maximum print size of 52" H x 120" W

Reflective Vinyl

- 5-mil engineering grade vinyl
- UV Lamination
- Short term lamination (3+ years)
- Longer term lamination (5+ years)
- Safe for indoor and outdoor use
- Great for low-light, low-visibility environments
- Maximum print size of 46" H x 120" W









Clear Vinyl

- Front or back adhesive
- 3 + year lifespan
- Maximum print size of 52" H x 120" W

Holographic Vinyl

- Glossy lamination
- Maximum print size of 12" H x 12" W

Roll Labels

- Paper or vinyl
- Glossy or matter
- 1 label wide roll or 8" wide roll
- Maximum print size of 7.5" H x 7.5" W

Wall Graphic

- 3 mil Low Tack or High Tack vinyl
- Patented air-release channels
- Matte Lamination
- Re-positionable (Low Tack)
- Adheres to smooth, non-porous surfaces
- Maximum print size of 52" H x 120" W











Floor Graphic

- Non-slip adhesive vinyl
- Slip, chemical, water, and scuff resistant
- Short term (1-month indoor durability)
- Long term (up to 6 month indoor durability)
- Great for high traffic areas
- Maximum print size of 120" H x 48" W

Have questions regarding Custom OEM Decals?

Contact one of our friendly and knowledgeable Customer Service Representatives!

PHONE

EMAIL

(320) 391-5250

connect@decals.com

